

香港紀鑄有266萬湖湖,當中有超過一半可於荔枝窩見 到。荔枝窩是香港東北的一個小海灣,這裡山青小秀的 環境,生機勃勃。

Lai Chi Wo, situated at the Northeast corner of the New Territories, is well-known for her beautiful scenery. Diverse habitats and rich biological resources could be found here. Among the 266 recorded species of butterflies in Hong Kong, more than a half of them can be found in Lai Chi Wo.



蝴蝶是完全變態的昆蟲,一生會經歷四個生長階段: 卵, 幼蟲, 蛹, 成蟲。幼蟲和成蟲的生

活智性完全不同。幼蟲一般經歷4-6次蛻皮,只攝食一種或幾種植物。成蟲主要吸食 花蜜,也有些會吸食腐汁。我們特意於田邊種植蝴蝶的寄主植物及蜜源植物,營造更適

合蝴蜓的主境。

About Butterfly

Butterflies go through four distinct stages (egg, larva, pupa and adult) to complete metamorphosis. The larvae have an entirely different living habit from adult butterflies. The larvae will go through 4-6 moulting, and they eat only one or a few specific species of plants. While adults mostly intake nectar or rotten fruit juice. To enhance the habitats for butterflies, we planted host plants and nectar plants on the farm side.

- 保護自然生態, 尊重生命, 切勿捕捉或誘攝。

- 自己垃圾自己带走。

- 愛護自然環境,請使用天然的個人護理產品。

- 請帶備雨晴用品、防曬防蚊用品、急級用品及充足飲料食物。
- 此圖冊列出了部份荔枝窩蝴蝶常見點,您可按資料尋找蝴蝶。
- -蝴蝶喜好不同的天氣及季節,所以每次來到荔枝喬都可能會遇到不同的蝴蝶!



觀蝶須知

- Protect the natural environment, respect life, do not catch animals nor baiting ani mals for photos.

- Take your litter home.

- Use natural personal care products.

- Prepare for both good and bad weather. Bring mosquito repellent, sunscreen, first-aid kit, enough drinks and food.

- This field guide listed some butterfly hotspots in Lai Chi Wo, which may help you find butterflies.

- You may meet different butterflies in different seasons!





















食物 Food



動物糞便 Animal dropping and dung







水种礦物質 Water and minerals







中文名 Chinese Name



































Lycaenidae










舒斑别灰堰
































80 6







環蝶亞科 Amathusiinae







鳳蝶科 Papilionidae





Grapbium agamemnon

Tailed Jay

70-80









Common Bluebottle

75-85






















水體青鳳姫


Graphium dovon

Common Jay

70-80









眼蝶亞科 Satyrinae



















粉蝶科 Pieridae

















































弄蟒科 Hesperiidae



寬錫异環

- Acromachus jbora
 - Grey Scrub Hopper
- 20-25



黄斑蓝鼻螈


- Brionota tonus
 - Banana Skipper
- 65-75











- Rare Swift
- 30-35





- Ampittia dioscorides
- Bush Hopper
- 20
 - - **8 6 6**











冶邊總界應

- Tagiades litigiosus Water Snow Flat
- 40









蜆蝶亞科 Riodininae



蛇目褐螅螈

- Abisara echerius
- Plum Judy
- 35-40
- O 🙍 🗰





坡境堰

- Zemeros flegyas
- Punchinello
- 35-40
- (O) 🙀 宜

Charasses bernardus

Tawny Rajah

a b d

Junonia almana

美眼蛾蛾

65-80



蛱蝶科 Nymphalidae



(3) 波吹吸

- Ariadne ariadne Angled Castor
- 55-60



養機漿螈

- Cupha erymanthis Rustic
- 50-60







65-100



633 蛇鼷蝾螈

- Junonia lemonias Lemon Pansy
 - 60-65















Neptis bylas Common Sailer

50-60



攝影:剧善鵬、江詩敏、吳家欣

設計: 盧倩童

出版者:長春社

出版日期:2021年6月1日

版權所有,未經授權,不得翻印。













60-65

80 6

珂環蝾螈

45-50

Neptis clinia

8 6 1


容養屬蝦螈

Southern Sullied Sailer















Publisher: The Conservancy Association

Publishing Date: 1 JUN 2021

All rights reserved. Copyright @ MALCW

Design: Phoebe LO